

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**Section 1 PRODUCT AND COMPANY IDENTIFICATION**

**Product Number:** NAPA 4071, 4072, 4073, 4074, 4428, 4429, 4008

**Trade Name and Synonyms:** NAPA Spin-on Coolant Filters / Conditioners

**Chemical Name and Synonyms:** Nitrite-borate corrosion inhibitor

**Chemical Family:** Industrial water treatment

**Product Use:** Vehicle coolant treatment

**Restrictions on use:** Use only as directed

**MSDS Date of Preparation:** April 30, 2015

**Manufacturer**

Wix Filtration Products Division, Affinia Group  
PO Box 1967  
Gastonia, NC 28053

**Telephone Numbers**

Product Information: (704) 869-3869  
Emergency Phone: (800) 424-9300 Chemtrec

**2. HAZARD(S) IDENTIFICATION**

**Classification:**

This product is a manufactured article (vehicle coolant filter) containing solid pellets. The filter is sealed so no contact with the contents occurs during normal handling or use. Contact with the pellets from a broken filter may cause adverse effects and are classified as follows:

<b>Physical</b>	<b>Health</b>
Corrosive to Metals Category 1	Acute Toxicity Category 3 (Oral) Skin Corrosion Category 1 Eye Damage Category 1 Toxic to Reproduction Category 2 Germ Cell Mutagen Category 2 Carcinogen Category 1B

**Labeling:**



**Danger!**

**Hazard statement(s)**

May be corrosive to metals.  
Toxic if swallowed.  
Causes severe skin burns and eye damage.

**Precautionary statement(s)**

Prevention  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

Suspected of causing genetic defects.  
 May cause cancer.  
 Suspected of damaging fertility or the unborn child.

understood.  
 Keep only in original container.  
 Do not breathe dust.  
 Wash thoroughly after handling.  
 Do not eat, drink, or smoke when using this product.  
 Wear protective gloves, protective clothing, eye protection, and face protection.  
 Response  
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
 IF exposed or concerned: Get medical attention.  
 Wash contaminated clothing before reuse.  
 Absorb spillage to prevent material-damage.  
 Storage & Disposal  
 Store locked up.  
 Store in corrosive resistant container with a resistant inner liner.  
 Dispose of contents and container in accordance with local and national regulations

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Concentration
Sodium Nitrite	7632-00-0	30-60%
Sodium Metasilicate	6834-92-0	10-30%
Benzotriazole	95-14-7	5-10%
Disodium Tetraborate, anhydrous	1330-43-4	1-5%
Phenolphthalein	77-09-8	0.1-1%

**The specific identity and/or exact concentration has been withheld as a trade secret.**

**4. FIRST-AID MEASURES**

**Eye:** None expected under normal handling and use. If contact occurs with filter pellets, immediately flush eyes with large quantities of water for at least 20 minutes, holding the eyelids apart. Get immediate medical attention.

**Skin contact:** None expected with normal use. If contact with the filter pellets occurs, remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation develops.

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**Inhalation:** None expected with normal use. If dust from tablet is inhaled, remove to fresh air. If irritation develops or if breathing is difficult, get medical attention.

**Ingestion:** None expected with normal use. If filter pellets, or dust is swallowed, do not induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

**Most important symptoms/effects, acute and delayed:** None expected under normal conditions of use. The following applies to contact with the table if the coolant filer is broken and the tablet is exposed: Eye and skin contact may cause severe irritation or burns. Permanent eye damage may occur. Inhalation of dust may cause mucous membrane and respiratory tract irritation. Toxic if swallowed. Swallowing may cause burns to the digestive tract, central nervous system effects, cyanosis, convulsions and collapse. May cause cancer. Suspected of causing genetic defects. Supected of causing reproductive or developmental effects based on animal data.

#### **5. FIRE-FIGHTING MEASURES**

**Extinguishing Media:** Use water fog, foam, dry chemical or carbon dioxide to extinguish.

**Specific hazards arising from the chemical:** The tablet is not flammable or combustible. The tablet contains potassium nitrate and sodium nitrite which are oxidizers and can enhance the burning of other materials. Combustion may produce oxides of carbon, nitrogen, molybdenum, phosphorus and sodium.

**Special protective equipment and precautions for fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers and structures with water. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment, and emergency procedures:** Use appropriate protective clothing and equipment during clean-up.

**Environmental hazards:** Avoid release into the environment. Report spill as required by local and federal regulations.

**Methods and materials for containment and cleaning up:** If filter is not damaged, pick up and keep for use. If the filter is damaged and the tablet is released, collect in a manner that minimizes the generation of airborne dust. Place collected material into suitable containers for disposal.

#### **7. HANDLING AND STORAGE**

**Precautions for safe handling:** Handle filters in a manner that minimizes the risk of damage and release of contents. In handling damaged filters, avoid generating and breathing dusts. Prevent contact with eyes. Avoid contact with skin and clothing.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well-ventilated area away from combustible materials, acids and other incompatible materials.

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure guidelines:**

Sodium Nitrite	None Established
Sodium Metasilicate	None Established
Benzotriazole	None Established
Disodium Tetraborate, anhydrous	2 mg/m <sup>3</sup> TWA, 6 mg/m <sup>3</sup> STEL ACGIH TLV (inhalable)
Octadecanoic Acid, Magnesium Salt	None Established
Sodium Nitrate	None Established
Phenolphthalein	None Established

**Appropriate engineering controls:** No special engineering controls are required for handling undamaged filters.

**Personal Protective Equipment**

**Respiratory protection:** None required under normal conditions of use. For operations where exposures are excessive or irritation is experienced, a NIOSH approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134 and good Industrial Hygiene practice.

**Skin protection:** None required under normal conditions of use. Wear rubber or other impervious gloves when handling damaged filters or tablets.

**Eye protection:** None required under normal conditions of use. Safety goggles required for handling damaged filters or tablets.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

The following physical characteristics are for the pellets only.

**Appearance (physical state, color, etc.):** White to yellowish briquette inside a coolant filter

**Odor:** No odor.

<b>Odor threshold:</b> Not available	<b>pH:</b> 10.5 (1% solution)
<b>Melting point/freezing point:</b> Not available	<b>Boiling point/Range:</b> Not applicable
<b>Flash point:</b> Not applicable	<b>Evaporation rate:</b> Not applicable
<b>Flammability (solid, gas):</b> Not flammable	
<b>Flammable limits: LEL:</b> Not applicable	<b>UEL:</b> Not applicable
<b>Vapor pressure:</b> Not applicable	<b>Vapor density:</b> Not applicable
<b>Relative density:</b> 1.0	<b>Solubility(ies):</b> Partially soluble in water
<b>Partition coefficient: n-ctanol/water:</b> Not applicable	<b>Auto-ignition temperature:</b>
<b>Decomposition temperature:</b> Not available	<b>Viscosity:</b> Not applicable

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**10. STABILITY AND REACTIVITY**

**Reactivity:** This product is stable

**Chemical stability:** Stable under normal storage and handling conditions.

**Possibility of hazardous reactions:** None expected under normal use conditions.

**Conditions to avoid:** Avoid extreme heat.

**Incompatible materials:** Incompatible with oxidizing materials, reducing agents, organic materials, acids and moisture

**Hazardous decomposition products:** Thermal decomposition will generate carbon oxides, oxides of nitrogen, boron oxides, and sodium oxides.

**11. TOXICOLOGICAL INFORMATION**

**Potential Health Effects:** Handling undamaged filters will not result in adverse effects. The following information pertains to exposure to the coolant treatment tablets.

**Eye contact:** May cause severe irritation or burns with redness, tearing and pain. Permanent damage can occur.

**Skin contact:** May cause severe irritation or burns. Sodium nitrite may be harmful if absorbed through the skin. Phenolphthalein has been shown to cause sensitization in humans.

**Inhalation:** Dust may cause irritation of the mucous membranes and upper respiratory tract. Absorption may cause effects similar to those described under ingestion.

**Ingestion:** Toxic if swallowed. May cause burns to the mouth and throat, dizziness, nausea, vomiting, low blood pressure, cyanosis, rapid heartbeat, convulsions and collapse.

**Chronic effects:** Prolonged or repeated exposure may cause nervous system effects, liver damage, kidney damage and effects on the blood.

**Reproductive Toxicity:** In reproduction toxicity, Phenolphthalein was administered to mice orally phenolphthalein for five generations. Examination of offspring showed a reduction in testis weight and sperm count, and decreased number of births due to decreased pregnancy rate, and decrease in body weight of progeny. Borate compounds cause adverse reproductive effects in laboratory animals.

**Germ Cell Mutagenicity:** Phenolphthalein was negative in the AMES test but showed positive results in a chromosome aberration assay in human embryo cells. Similar tests in Chinese hamster ovary cells were not positive. It is suggested that phenolphthalein acts as a promutagen and must be metabolically activated to exert its clastogenic effect.

**Carcinogenicity:** Phenolphthalein is listed by IATA as "Possibly Carcinogenic to Humans, Group 2B and by NTP as "Reasonably Anticipated to be a Human Carcinogen". None of the other components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or OSHA

**Acute Toxicity Values:**

Acute Toxicity Estimate for the Product: Oral: 138.7 mg/kg, dermal >2000 mg/kg

Sodium Nitrite: Oral rat LD50 85 mg/kg

Sodium Metasilicate: Oral rat LD50 1890 mg/kg, Inhalation rat LC50 >2.06 mg/L/4 hr (no deaths occurred), Dermal rat LD50 >5000 mg/kg.

Benzotriazole: Oral rat LD50 500 mg/kg, Dermal rabbit LD50 >2000 mg/kg

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

Disodium Tetraborate: Oral rat LD50 3450 mg/kg, Inhalation rat LC50 >2.03 mg/L/4 hr (no deaths occurred),  
 Octadecanoic acid, magnesium salt (2:1):  
 Sodium Nitrate: Oral rat LD50 3430 mg/kg, Dermal rat LD50 >5000 mg/kg  
 Phenolphthalein: No toxicity data available

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:**

Sodium Nitrite: 96 hr LD50 Oncorhynchus mykiss 0.54 mg/L, 48 hr EC50 daphnia magna 15.4 mg/L, 72 hr EC50 Desmodemus subspicatus >100 mg/L  
 Sodium Metasilicate: 96 hr LC50 Gambusia affinis 2350 mg/kg, 48 hr EC50 daphnia magna 1700 mg/L, 72 hr EC50 Desmodemus subspicatus 207 mg/L  
 Benzotriazole: 96 hr LC50 Danio rerio 180 mg/L, 48 hr EC50 Daphnia galeata 15.8 mg/L, 72 hr EC50 Selenastrum capricornutum 75 mg/L  
 Disodium Tetraborate: 96 hr LC50 Limanda 74 mg/L  
 Octadecanoic acid, magnesium salt (2:1)  
 Sodium Nitrate: 96 hr LC50 Lepomis macrochirus 12,000 mg/kg, 24 hr EC50 daphnia magna 8609 mg/kg,  
 Phenolphthalein: 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC50 Desmodemus subspicatus 8.9 mg/L

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative potential:** No data available.

**Mobility in soil:** No data available.

**Other adverse effects:** None known.

**13. DISPOSAL CONSIDERATIONS**

Dispose in accordance with all local, state and federal regulations.

**14. TRANSPORT INFORMATION**

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
<b>DOT</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	RQ 166
<b>TDG</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	Marine Pollutant
<b>IMDG</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	Marine Pollutant

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form.

**Special precautions:** None known

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**15. REGULATORY INFORMATION**

**Safety, health, and environmental regulations specific for the product in question.**

**CERCLA 103 Reportable Quantity:** The tablets have a reportable quantity of 166 lbs based on 60% maximum sodium nitrite with an RQ of 100 lbs. Many states have more stringent reporting requirements. Report releases as required by all federal, state and local authorities.

**SARA TITLE III:**

**Hazard Category for Section 311/312:** Acute health, chronic health

**SARA 313:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements:

Sodium nitrite	7632-0-0	30-60%
Sodium Nitrate (nitrate compound)	7631-99-4	0.1-1%
Phenolphthalein:	77-09-8	0.1-1%

**Section 302 Extremely Hazardous Substances (TPQ):** None

**EPA Toxic Substances Control Act (TSCA) Status:** All of the components of this product are listed on the TSCA inventory.

**California Proposition 65:** This product contain the following chemicals are known to the State of California to cause cancer or reproductive toxicity:

Phenolphthalein	77-09-8	0.1-1%	Cancer
Ethylene Oxide	75-21-8	trace	Cancer, developmental , male reproductive toxicity, female reproductive toxicity

**16. OTHER INFORMATION**

**NFPA Rating:** Health = 3      Flammability = 0      Instability = 0  
**HMIS Rating:** Health = 3\*      Flammability = 0      Physical Hazard =0  
\*Chronic Health Hazard

**SDS Revision History:** Converted to GHS format – All sections revised

**Date of preparation:** April 30, 2015

**Date of last revision:** April 30, 2012

The information is believed to be accurate and represents the best information currently available to us. WE MAKE NO WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION. We assume no liability resulting from its use. Users should conduct their own investigations to determine the suitability of the information for their own particular application and purpose.

**Safety Data Sheet**  
**W1010N**  
**Spin-on Coolant Filters / Conditioners**

**Revision History**

<b>Product</b>	<b>Type</b>	<b>Chemical Name</b>	
W1010	Coolant Filter	Nitrite-borate corrosion inhibitor	
<b>Revision</b>	<b>Description</b>	<b>Effective Date</b>	<b>Signed</b>
A	Changed chemical composition	12/26/12	C. Reich
B	Revised phone number	2/3/14	Carmen Reich
C	Converted to GHS	4/30/15	Angela Rath